

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	0	("object code" near6 (updat\$3 or access \$3 or modif\$5 or chang\$3 or edit\$3)). CLM. and ((additional or other) near4 (invok \$3 or call\$3 or access \$3)).CLM. and (stack \$2. near4 rest\$4). CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:57
L7	0	("object code" near6 (updat\$3 or access \$3 or modif\$5 or chang\$3 or edit\$3)) and ((additional or other) near4 (invok \$3 or call\$3 or access \$3)) and (stack\$2. near4 rest\$4) and 717/106-127.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:57
L8	0	("object code" near6 (updat\$3 or access \$3 or modif\$5 or chang\$3 or edit\$3)) and ((additional or other) near4 (invok \$3 or call\$3 or access \$3)) and (stack\$2. near4 rest\$4) and 712/228-244.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:58
L9	10	Bley-john-b.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:59

L10	0	"L9." and ("object code" near6 (updat \$3 or access\$3 or modif\$5 or chang\$3 or edit\$3)).CLM. and ((additional or other) near4 (invok \$3 or call\$3 or access \$3)).CLM. and (stack \$2. near4 rest\$4). CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:59
L11	0	"L9." and ("object code" near6 (updat \$3 or access\$3 or modif\$5 or chang\$3 or edit\$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:59
L12	4	L9 and ("object code" near6 (updat \$3 or access\$3 or modif\$5 or chang\$3 or edit\$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:59
L13	9	puryear-daryl-L.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/09 00:05
L14	2	L13 and ("object code" near6 (updat \$3 or access\$3 or modif\$5 or chang\$3 or edit\$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/09 00:05
L15	3	L13 and (("object code" or "byte code") near6 (updat \$3 or access\$3 or modif\$5 or chang\$3 or edit\$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/09 00:06
L16	5	L9 and (("object code" or "byte code") near6 (updat \$3 or access\$3 or modif\$5 or chang\$3 or edit\$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/09 00:06

S88	23	(US-20020112227-\$ or US-20050015750-\$ or US-20040250175-\$).did. or (US-7013456-\$ or US-6763452-\$ or US-6826748-\$ or US-5583988-\$ or US-6247169-\$ or US-6941545-\$ or US-7069421-\$ or US-7065633-\$ or US-5778233-\$ or US-7111290-\$ or US-6760903-\$ or US-6721941-\$ or US-5628016-\$ or US-6289446-\$ or US-6728955-\$ or US-6978462-\$ or US-7103600-\$ or US-6131187-\$ or US-6934832-\$ or US-6477702-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/02 14:37
S89	2	S88 and (modif\$4 near5 "object code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 14:37
S90	2	S88 and ((modif\$4 or updat\$3 or changed or alter\$3) near6 "object code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 14:42
S91	0	((access\$3 or chang\$3 or manipulat\$3 or add\$3 or modify\$3 or updat\$3) near6 ("object code" or "byte code" or "bytecode")) same (new near2 function)) and (produc\$3 near3 (result)) and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT	OR	OFF	2008/10/02 14:45

S92	2	((access\$3 or chang \$3 or manipulat\$3 or add\$3 or modify \$3 or updat\$3) near6 ("object code" or "byte code" or "bytecode")) same (new near2 function)) and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:31
S93	24	(US-20020112227-\$ or US-20050015750- \$ or US- 20040250175-\$).did. or (US-7013456-\$ or US-6763452-\$ or US- 6826748-\$ or US- 5583988-\$ or US- 6247169-\$ or US- 6941545-\$ or US- 7069421-\$ or US- 7065633-\$ or US- 5778233-\$ or US- 7111290-\$ or US- 6760903-\$ or US- 6721941-\$ or US- 5628016-\$ or US- 6289446-\$ or US- 6728955-\$ or US- 6978462-\$ or US- 7103600-\$ or US- 6131187-\$ or US- 6934832-\$ or US- 6477702-\$ or US- 5423042-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/02 17:18
S94	21	S93 and (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 17:18

S95	24	(US-20020112227-\$ or US-20050015750-\$ or US-20040250175-\$).did. or (US-7013456-\$ or US-6763452-\$ or US-6826748-\$ or US-5583988-\$ or US-6247169-\$ or US-6941545-\$ or US-7069421-\$ or US-7065633-\$ or US-5778233-\$ or US-7111290-\$ or US-6760903-\$ or US-6721941-\$ or US-5628016-\$ or US-6289446-\$ or US-6728955-\$ or US-6978462-\$ or US-7103600-\$ or US-6131187-\$ or US-6934832-\$ or US-6477702-\$ or US-5423042-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/03 14:16
S96	3	S95 and (modif\$5 near5 (object code)) and ((stor\$3 near3 (result\$2)) same stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:17
S97	0	("exception handler" near3 shar\$3) and ((invok\$4 or call\$3) near3 "stack") and ((modif\$5 or updat\$3 or chang\$3) near4 "object code") and (@ad < "20010228" or @prad < "20010228" or @rlad < "20010228")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:29

S98	0	("exception handler" near3 shar\$3) and ((modif\$5 or updat \$3 or chang\$3) near4 "object code") and (@ad < "20010228" or @prad < "20010228" or @rlad < "20010228")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:29
S99	0	((("exception handler" near3 shar \$3) same "object code") and (@ad < "20010228" or @prad < "20010228" or @rlad < "20010228"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:30
S100	0	((("exception handler" near3 shar \$3) same "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:31
S101	0	((("exception handler" near4 shar \$3) same "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:31
S102	0	((("exception" near4 shar\$3) same "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:31

S103	16	((("exception" near4 shar\$3) and "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:32
S104	11	S103 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 12:11
S105	26	(US-20020112227-\$ or US-20050015750-\$ or US-20040250175-\$).did. or (US-7013456-\$ or US-6763452-\$ or US-6826748-\$ or US-5583988-\$ or US-6247169-\$ or US-6941545-\$ or US-7069421-\$ or US-7065633-\$ or US-5778233-\$ or US-7111290-\$ or US-6760903-\$ or US-6721941-\$ or US-5628016-\$ or US-6289446-\$ or US-6728955-\$ or US-6978462-\$ or US-7103600-\$ or US-6131187-\$ or US-6934832-\$ or US-6477702-\$ or US-5423042-\$ or US-6901588-\$ or US-6904517-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/06 13:17
S106	3	S105 and ((modif\$5 or chang\$3 or rewrit \$3) near3 ("object code"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:18
S107	2	"5193180".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:20

S108	1	S107 and ((modif\$5 or chang\$3 or rewrit \$3 or add\$3) near5 ("object code"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:22
S109	1	S107 and ((modif\$5 or chang\$3 or rewrit \$3 or add\$3) near5 (object near2 ("file" or "code")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:23
S110	27	(US-20020112227-\$ or US-20050015750-\$ or US-20040250175-\$).did. or (US-7013456-\$ or US-6763452-\$ or US-6826748-\$ or US-5583988-\$ or US-6247169-\$ or US-6941545-\$ or US-7069421-\$ or US-7065633-\$ or US-5778233-\$ or US-7111290-\$ or US-6760903-\$ or US-6721941-\$ or US-5628016-\$ or US-6289446-\$ or US-6728955-\$ or US-6978462-\$ or US-7103600-\$ or US-6131187-\$ or US-6934832-\$ or US-6477702-\$ or US-5423042-\$ or US-6901588-\$ or US-6904517-\$ or US-5193180-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/06 13:23
S111	7	S110 and ((modif\$5 or chang\$3 or rewrit \$3 or add\$3) near5 (object near2 ("file" or "code")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:24
S112	5	S110 and ((modif\$5 or chang\$3 or rewrit \$3 or add\$3) near5 (object near2 ("file" or "code")) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:28



S113	3	S112 and (Java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:46
S114	3	S112 and (Java or JAVA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:46
S115	13	(shar\$3 near4 "object code") and ((chang\$3 or modif \$5 or updat\$3) near4 "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:00
S116	4	(shar\$3 near4 "object code") and ((chang\$3 or modif \$5 or updat\$3) near4 "object code") and stack and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:02
S117	4	(shar\$3 near4 "object code") and ((chang\$3 or modif \$5 or updat\$3 or edit \$3) near4 "object code") and stack and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:06

S118	7	(shar\$3 near4 "object code") and ((chang\$3 or modif \$5 or updat\$3 or edit \$3) near4 object) and stack and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:06
------	---	---	--	----	-----	---------------------

10/ 9/ 08 12:09:14 AM

C:\ Documents and Settings\ cchow \ My Documents\ EAST\ Workspaces\ 10622022.wsp